



# G+® Remote Control



- Provides Safety and Freedom to Move Around the Machine.
- Hands-On Control at All Times.
- Emergency Stop is Always Within Reach.
- Remote Can be Used with Any GOMACO Three-Track Curb and Gutter Machine Currently Equipped with the G+ Operating System.
- Operator can Work from the Operator's Platform or from the Ground.
- Lightweight for Operator Comfort.
- Features a 4.3 Inch (109 mm) Graphic Display Screen.
- Display Screen Features Run Functions of the Machine.
- Operator has Individual Control Over Each Leg with the Automatic/Manual Adjustments for Elevation and Steering.
- Two Lithium-Ion Batteries and a 12-Volt Charger are Included with Purchase of the Remote. An optional AC Adapter is Available.

# G+<sup>®</sup> Remote Control

Exclusive G+ Remote Control  
For Hands-On Safety





CG-051624-D9

The operator can work from the operator's platform or on the ground with the G+ remote in order to get the best view of the paving operation.



CG-051625-D8

This operator in Canada told GOMACO's service representative, "This is exactly what I have been wanting."



CG-051624-D8

The GOMACO service representative asked the operator about the weight of the new G+ remote. He said that after wearing the remote for two hours of paving, he forgot it was even around his waist because it was so light.



CG-051624-D5

The remote has safety features like the emergency stop button and the alert horn located in convenient locations for quick access. There are also tilt and impact sensors in the remote for an automatic safety stop.

Cover Photo: CG-051625-D2

Manufactured under one or more of the following U.S. or foreign patents: 5,924,817; 5,941,659; 6,099,204; 6,450,048; CA2,211,331; 7,044,680; 7,284,472; 7,517,171; 7,845,878; 7,850,395; CA2,864,902; CA2,591,177; 8,855,967; 8,682,622; 9,051,696; 9,180,909; 9,200,414; and patents pending.

GOMACO and G+ are registered trademarks of GOMACO Corporation.

GOMACO Corporation reserves the right to make improvements in design, material, and/or changes in specifications at any time without notice and without incurring any obligation related to such changes. Performance data is based on averages and may vary from machine to machine.

Printed in U.S.A. © 2016 (7 GOMACO Corp.)

**Worldwide Headquarters**  
 GOMACO Corporation  
 PO Box 151  
 Ida Grove, IA USA 51445  
 Ph: 1-712-364-3347  
 www.gomaco.com  
 E-mail: info@gomaco.com

**European Headquarters**  
 GOMACO International Ltd.  
 Units 14 & 15  
 Avenue One, Station Lane  
 Witney, Oxon, OX28 4XZ,  
 United Kingdom  
 Ph: 44-1993-705100  
 E-mail: pavinguk@gomaco.com



The Worldwide Leader in Concrete Paving Technology



GOMACO Corporation's Quality Management System Is  
 ISO 9001 Certified By The American Systems Registrar.

Quality Policy: We Shall Meet Or  
 Exceed Our Customers' Expectations.

